

## **Commodity Specification**

## **SMOKED TURKEY HAM**

**APRIL 1999** 



#### **Table of Contents**

		Page
	NERAL	
	MMODITY SPECIFICATIONS	
A.	Basic Requirements	
	1. Date Processed	
	2. Origin of Turkeys	1
	3. Inspection	2
	4. Product Temperature	2
	5. USDA Sampling Option	2
	6. Definition of a Lot	2
B.	Meat and Skin	2
	1. Sources of Meat	2
	2. Turkey Products From Other Plants	
	3. Requirements for Meat and Skin	
Tab	le 1. Organoleptic Requirements and Defects for Meat	
	Processing	
	1. Size Reduction	
	2. Requirements for Size-Reduced Meat	
Tab	le 2. Organoleptic Requirements and Defects for Size-Reduced Trim Meat	
- 42	3. Processing Sequence	
	4. Formulation	
	5. Mixing	
	6. Stuffing into Casings	
	7. Smoking	
	8. Cooking	
	9. Cooling	
	10. Packaging and Packing Materials	
	11. Packaging and Packing	
	12. Freezing	
	Metal Detection	
υ.	1. Requirements	
	<ol> <li>Operating Efficiency and Procedures</li></ol>	
	4. Other Detection Procedures	
Г		
C.	Finished Smoked Ham Requirements	
	2. Fabrication	
	3. Physical Requirements	
	4. Water Added Statement	
	5. Percent Fat Free Statement	
<b>.</b> .	6. Defects	
Tab	le 3. Organoleptic Requirements and Defects for Turkey Hams	
	7. Reworked Turkey Hams	
	BELING	
A.	Packaged Turkey Hams	
	1. USDA Plant Number	
	2. Name and Production Date	. 14

		Page
	B. Shipping Containers for Turkey Hams	14
	1. Labeling Provisions	14
	2. Printing Requirements	14
	3. Labeling Format	14
	4. Recycle Symbol and Statement	
	5. Universal Product Bar Code	
	6. Labeling and Marking Information	
	7. TOP PANEL - Labeling and Marking	
	8. ONE END Panel - Labeling and Marking	
	9. ONE SIDE Panel - Labeling and Marking	
	10. THE OTHER END Panel - Labeling and Marking	18
	11. THE OTHER SIDE Panel - Labeling and Marking	
	12. Inventory Control Label	
	C. Use of Previously Printed Material	
	D. F.a.s. Vessel Deliveries	
IV.	FINAL EXAMINATION OF PACKAGED AND PACKED COMMODITY	20
	A. Material and Net Weight Compliance	
	1. Verification of Materials and Defects	
	2. Net Weight	
	B. Prerequisites for Loading and Shipping Frozen Commodity	
	1. Visual Inspection	
	2. Internal Product Temperature	
	C. Inspection and Checkloading	
	1. Requirements	
	2. Procedures	
V.	UNITIZATION	
v .	A. Pallets	
	B. Pallet Exchange	
VI.	SHIPMENT AND DELIVERY	
V 1.	A. Contract Compliance Stamp	
	B. Grading Certificate	
	1. Railcar or Piggyback	
	2. Trucks	
	C. Loading and Sealing of Vehicles	
	1. Railcar	
	2. Truck or Piggyback	
	1. In-Plant Deliveries	
	2. Delivery In Storage	
	3. Early Delivery	
VII.	E. Split Deliveries	
V 11.		
	A. Commodity Requirements	
EXIII	B. Temperature	
EXHIE		
	EXHIBIT 1 - Example Formulation For Smoked Turkey Hams	
	EXHIBIT 2 - "Please Recycle" Symbol and Statement	
	EXHIBIT 3 - Shipping Containers of Smoked Turkey Hams	
LICD 4	EXHIBIT 4 - Shipping Containers of Smoked Turkey Hams, Smoke Flavor Added	
OSDA	Symbol Back of Specifi	catioi

#### I. GENERAL

Frozen smoked turkey hams (hams/commodity) produced under this Specification will be packaged and packed in the following form as specified in the contract:

Smoked Turkey Ham (234040) - Frozen smoked turkey hams produced from nonbasted, young ready-to-cook turkey thigh meat. Hams must weigh not less than 9 pounds (4.08 kg) and not more than 11 pounds (4.99 kg), be vacuum packaged in shrinkable oxygen- and moisture-proof bags or casings, and be packed four hams per fiberboard shipping container. A purchase unit will total 40,000 pounds (18,144 kg).

#### II. COMMODITY SPECIFICATION

#### A. Basic Requirements

- 1. <u>Date Processed</u>. The commodity must not be processed prior to the date of the contract.
- 2. Origin of Turkeys. The commodity must be produced and processed from young turkeys which were produced, raised, and processed in the United States, its territories or possessions, the Commonwealth of Puerto Rico, or the Trust Territories of the Pacific Islands. If the contractor processes or handles turkey products originating from sources other than the United States, its territories or possessions, Puerto Rico, or the Trust Territories of the Pacific Islands, the contractor must have an acceptable identification and segregation plan for those turkey products to ensure they are not used in the commodities produced under this Specification. This plan must be made available to a representative of the Grading Branch, Poultry Programs, AMS, USDA (grader), and the Contracting Officer or agent thereof upon request. The contractor must ensure that both the contractor and subcontractor(s) maintain records such as invoices, or production and inventory records evidencing product origin, and make such records available for review by the USDA grader or other Government official(s) in accordance with Article 76 of USDA-1.

#### II.A.

- 3. <u>Inspection</u>. Processing operations must comply with Poultry Products Inspection Regulations (9 C.F.R. Part 381) and be under the supervision of a representative of USDA's Food Safety and Inspection Service (FSIS) (inspector). Inspection for contract and Specification compliance will be in accordance with the Regulations Governing the Voluntary Grading of Poultry Products and Rabbit Products (7 C.F.R. Part 70) and the U.S. Classes, Standards, and Grades (AMS 70.200 *et seq.*) under the supervision of a USDA grader. The USDA grader will be responsible for certification of compliance with the requirements of this Specification for ready-to-cook turkey products; preparation, formulation, and fabrication of turkey hams; smoking, cooking, and cooling turkey hams; packaging and packing; freezing; labeling and marking; sampling; net weight; and checkloading.
- 4. <u>Product Temperature</u>. Temperature of the products, unless otherwise specified, must comply with 9 C.F.R. § 381.66 and the FSIS Directive 7110.3 (Time/Temperature Guidelines For Cooling Heated Products), throughout all operations including transportation between plants.
- 5. <u>USDA Sampling Option</u>. USDA may select additional product for further inspection or may draw samples for laboratory analyses.
- 6. <u>Definition of a Lot</u>. A lot is the amount of packaged commodity produced during a processing shift.

#### B. Meat and Skin

#### 1. Sources of Meat.

- a. Smoked turkey hams must be produced from boneless skinless turkey thigh meat. Thigh meat (meat) must be from nonbasted, young ready-to-cook turkeys (no solution or ingredients added) 9 C.F.R. § 381.170 and AMS § 70.202. The chilled turkey thighs must be deboned and used in the turkey ham within 7 calendar days after the day the turkeys are slaughtered.
- b. Chilled thighs from frozen turkeys may be used when the frozen turkeys: (1) have been packaged to protect them from freezer burn and dehydration during storage, and (2) have not been held more than 180 days in frozen storage and have been identified so the class of turkey can be determined. The resultant boneless skinless thighs must be processed (without refreezing) into the hams within 48 hours from the time of deboning.
- c. Frozen thighs may be used when: (1) produced from freshly slaughtered turkeys, (2) packaged to protect against quality deterioration during storage and identified so the time in storage and the class, kind, and specific deboned turkey product can be determined, and (3) held not more than 60 days in frozen storage. After thawing, the thighs must be used in the production of turkey hams within 48 hours.

- d. Turkey thigh meat trimmings that are removed from the turkey thighs during the boning and trimming process may be used if they represent no more than 15 percent of the total weight of the turkey thigh meat as specified in the formulation section (II.C.4.).
- 2. <u>Turkey Products From Other Plants</u>. Turkeys, turkey thighs, and boneless skinless turkey thighs may be transferred or obtained from other processing plants to produce hams, provided they: (a) have been processed, handled, and identified in accordance with this Specification, and (b) comply with the organoleptic, nonbasted, and other applicable requirements for turkey products to be used in hams as evidenced by USDA certification.
- a. Type, class, and specific name of the product; part or boneless part; date slaughtered, or date placed in frozen storage, as applicable; and the USDA-assigned plant number must be shown on each shipping container.
- b. The chilled and/or frozen turkey products must be at an internal product temperature not higher than  $40^{\circ}F$  (4.4°C) when shipped from the origin plant and when received at the destination plant.

#### 3. Requirements for Meat and Skin.

- a.  $\underline{\text{Meat}}$ . The meat used to produce smoked turkey hams must comply with the following:
- (1) <u>Thighs</u>. Meat must be derived from skinless turkey thighs. Thighs must be in recognizable portions; that is, complete thighs, or thighs with no more than one-half of the meat missing.
- (2) Optional thigh trimmings. As an optional ingredient, 15 percent of the meat portion of the formula may be turkey thigh trimmings as provided in II.B.1.d.
- b. <u>Unacceptable meat</u>. Mechanically separated meat (comminuted) cannot be used.
  - c. Skin. All skin must be removed from each thigh.
- d. Maximum temperature. The temperature of the meat must not exceed 55  $^{\circ}F$  (12.8  $^{\circ}C$ ) at any time during preparation or processing of these turkey products into turkey ham.
- e. Cooling requirements. Skinless thighs and thigh trimmings, which are not used in the turkey ham on a continuous basis, must be cooled by an FSIS approved method or a cooling medium and the internal product temperature continuously lowered to 40  $^{\circ}$ F (4.4  $^{\circ}$ C) or lower.

#### f. Cooling medium.

- (1) Cooling methods and medium approved by FSIS (e.g., use of carbon dioxide  $(CO_2)$  or liquid nitrogen  $(N_2)$ ) may be used to maintain the temperature of meat.
- (2) Containers of boneless skinless thighs and thigh meat must not contain added water (e.g., water from ice or slush ice and water). Liquid associated with normal product weepage is acceptable.
- g. <u>Organoleptic requirements</u>. Boneless skinless thighs and thigh trim will be examined on a continuous basis for organoleptic requirements shown in Table 1 below. Any product that does not comply with the organoleptic requirements will be rejected for use under this Specification.
- h. <u>Meat defects</u>. Boneless skinless thighs and thigh trim will be examined for defects on a sampling interval basis.
- (1) A sample of 10 pieces of boneless skinless thighs and 2 pounds (0.91 kg) of thigh trim (as applicable) will be drawn and examined for the defects, shown in Table 1, before it is used in the formula. The frequency of sampling and the number of defects allowed will be those outlined in the Poultry Programs' Sample Plan Level 2 (SPL-2). Separate examinations will be made for: (a) bone and (b) other defects.
- (2) Thigh trim that is size-reduced using equipment described in II.C.1.b.(2), shall be examined for bone, bone-like material, cartilage (gristle), cartilage-like material, or hard tendons or tendinous material *after size reduction only*. Regardless of the size-reduction system used, thigh trim will be examined for skin, blood clots, and discolorations prior to size reduction.
- (3) Regardless of the kind and number of defects (within Table 1) found, any sample with bone or bone-like material greater than 0.75 inch (1.91 cm) will be cause for the rejection of the product the sample represents.
- (4) If the number of bone defects exceed the maximum for the "target" level, or results in a rejection, the frequency of sampling for bone defects will be increased to 10 pieces of boneless skinless thighs and/or 2 pounds (0.91 kg) of thigh trim (as applicable) drawn twice each sampling interval until the cumulative number of bone defects reverts back to the "target" level.
- (5) If the sample has more defects than the maximum tolerance for the sample plan, the product the sample represents will be rejected.

Table 1. Organoleptic Requirements and Defects for Meat

Organoleptic Requirements:	<b>Meat must:</b> (a) not be rancid; have a fruity, sulfide-like, cardboardy, tallowy, oily, metallic, chlorine-like, or other foreign or off-odors; contain foreign materials (e.g., glass, paper, rubber, metal); and have a bright color; and (b) not show evidence of mishandling or deterioration; or dehydration or freezer burn or thawing and refreezing.
Boneless Meat and Trim Defects: Bone:	<b>Bone or bone-like material</b> greater than or equal to 0.75 inch (1.91 cm). See II.B.3.g.(2).
	<b>Bone or bone-like material</b> less than or equal to 0.75 inch (1.91 cm).
Other:	<b>Cartilage</b> (gristle), hard tendons or tendinous material (except as provided in (II.C.1.b.), or blood clots (thigh meat only).
	<b>Skin exceeding</b> an aggregate area equivalent to the area of a circle with a diameter of 0.50 inch (1.27 cm).
	<b>Moderate discolorations</b> exceeding an area equivalent to the area of a circle with a diameter of 0.50 inch (1.27 cm).
	<b>Lightly shaded discolorations</b> exceeding an area equivalent to the area of a circle with a diameter of 1 inch (2.54 cm). Slight discolorations are permitted, provided the discoloration does not detract from the overall appearance of the meat.
Additional - Pertaining to Trim Meat:	<b>Blood clots</b> exceeding an area equivalent to the area of a circle with a diameter of 0.25 inch (0.64 cm).
Boneless Thighs:	Thigh with more than one-half of the meat missing.

#### C. <u>Processing</u>

#### 1. Size Reduction.

a. <u>Thigh meat</u>. Thigh meat must be reduced in size through a plate with openings that are not less than 0.50 inch (1.27 cm) and not greater than 1.00 inch (2.54 cm).

#### b. Trim meat.

(1) Thigh trimmings must be ground through a plate with holes no less than 0.125 inch (1/8 inch) (3.175 mm) in diameter; or reduced through a desinewer plate or screen with holes 0.0591 inch to 0.0787 inch (1.50 mm) to 2 mm in diameter. For trim meat reduced through a desinewer plate or screen, the patella (knee cap) and portions of the condyle of the femur may be present when attached to the thigh trim.

#### II.C.1.

- (2) Additionally, the plate, screen, or equipment may be designed to extract, and discharge bone, bone-like material, cartilage, etc., simultaneously with size-reduction. The system must provide a continuous flow of discharge material during size-reduction. The discharge material may be collected and used in accordance with FSIS policy, but must not be used in the commodity produced under this Specification.
- c. <u>Other methods</u>. The meat may be reduced to an equivalent size by other methods reviewed and found acceptable by supervisory personnel of the Grading Branch, Poultry Programs.

#### 2. Requirements for Size-Reduced Meat.

- a. Organoleptic requirements and defects for trim meat.
- (1) The size-reduced trim meat will be examined in the fresh state on a continuous basis for the organoleptic requirements listed in Table 2 below prior to formulation. If the product does not comply with the organoleptic requirements it will be rejected for use under this Specification.
- (2) When an extraction/collection system is used in conjunction with size reduction (see II.C.1.b.(2)), a 2-pound (0.91-kg) sample of size-reduced trim meat will be drawn and examined in the fresh state for the defects listed in Table 2 below prior to formulation.

Table 2. Organoleptic Requirements and Defects for Size-Reduced Trim Meat

Organoleptic Requirements:	<b>Meat must:</b> (a) not be rancid; have a fruity, sulfide-like, cardboardy, tallowy, oily, metallic, chlorine, or other foreign and off-odors; contain foreign materials (e.g., glass, paper, rubber, metal); or show evidence of mishandling or deterioration; and (b) have a bright color.	
Trim Meat Defects:	The sample must be free of bone or bone-like material.  Cartilage (gristle) or cartilage-like material, or hard tendons or tendinous material.	

- (3) If the sample of size-reduced trim meat contains bone or bone-like material, or has more trim meat defects (listed in Table 2 above) than the maximum tolerance for SPL-2, the product the sample represents will be rejected for use under this Specification.
- b. <u>Temperature requirements</u>. Size-reduced meat and trim which is not used in the turkey ham on a continuous basis, must be cooled by an FSIS approved method or cooling medium (e.g., use of  $CO_2$  or  $N_2$ ) and the internal product temperature lowered to not

higher than 40 °F (4.4 °C) and not lower than 26 °F (-3.3 °C). Water, refrigerated water, slush ice and water, or ice used to cool or maintain the temperature of meat or trim must not be incorporated into the size-reduced product. Liquid associated with normal product weepage is acceptable. No frozen or previously frozen size-reduced meat or trim may be used in the turkey hams.

3. <u>Processing Sequence</u>. Unless otherwise specified, the size reduction, formulation, mixing, stuffing into casings, smoking/cooking, cooling, packaging and packing, and freezing of the commodity must be a continuous process that complies with the time and temperature requirements of this Specification.

#### 4. Formulation.

a. Proportions of ingredients required in preparing smoked turkey hams are as follows:

Size-Reduced Thigh Meat

Percent of Total by Weight 95.00 (minimum)

**Optional - Thigh Trimmings** (up to 15% of the meat portion)

Other Ingredients:

Salt	2.00
Sugar	2.00
Sodium Phosphate	0.50
Sodium Erythorbate or Sodium Ascorbate	468.00 PPM
Sodium Nitrite	156.00 PPM

- (1) Sugar may be sucrose, brown sugar, dextrose, or a combination thereof.
- (2) Amount and kind of sugar, phosphate, cure, and cure accelerator must be in accordance with 9 C.F.R. § 381.147.
- (3) Water and/or ice must be added to assist in the processing of turkey hams. The amount of water/ice and other ingredients must comply with the 15 percent water added statement for the finished turkey ham, and comply with FSIS requirements.

#### II.C.4.

- (4) Dry ingredients may be mixed with water to form a brine solution prior to the addition of the meat. As an option to forming a brine solution, dry ingredients may be added directly to the meat portion and thoroughly mixed (also see II.C.5.).
- (5) If liquid smoke flavoring is added to the formulation, the percentages for salt, sugar, and phosphate may be adjusted (reduced) to include this ingredient.
- (6) Verification of compliance with actual percentages of sodium erythorbate or sodium ascorbate and sodium nitrite used will be monitored by FSIS personnel in accordance with FSIS procedures.
- (7) An example formulation is provided in EXHIBIT 1 "Example Formulation For Smoked Turkey Ham." Actual formulation calculation and ingredient poundage is dependant on the amount of water, smoking/cooking methods, and yield percentages used and determined by individual contractors/processors. The example formulation in EXHIBIT 1 is only an example and should not be mistaken for actual poundage to be used.
- b. Batches of turkey thigh meat, trimmings, and other ingredients must be formulated to comply with the required 95 percent fat free labeling. Verification will be monitored by FSIS personnel according to FSIS labeling requirements and procedures.
- c. No binders or extenders are allowed. Processing aids (e.g., anti-caking agents, anti-dusting agents, or other manufacturing aids) are allowed if used and labeled in accordance with FSIS requirements. If processing agents are used, the ingredients and amount of ingredients listed in the formulation (II.C.4.) must remain the same.
- d. Formulated batches of ingredients which do not comply with II.C.4.a. and b. above will be rejected.
- 5. <u>Mixing</u>. The brine solution must be incorporated into the size-reduced thigh meat by mixing/blending, or tumbling or massaging with or without vacuum. If the option of adding dry ingredients directly with the meat portion is used, batches of meat, dry ingredients, and water/ice must be thoroughly mixed (by mixing/blending, or tumbling or massaging with or without vacuum) to ensure even distribution of ingredients throughout the batch.

#### 6. Stuffing into Casings.

- a. After blending, the formulated batches of ingredients must be stuffed into smoke impregnated or standard fibrous casings which are round in shape.
- b. Formulated batches of ingredients must be stuffed into casings which conform to the finished smoked ham commodity requirements of 4 to 5 inches (10.16 to 12.70 cm) in diameter and 9 pounds (4.08 kg) to 11 pounds (4.99 kg) net weight.

c. In no case will the stuffing of the formulated batches of ingredients into casings be delayed longer than 48 hours or be held at a room temperature higher than 40  $^{\circ}$ F (4.4  $^{\circ}$ C) or lower than 26  $^{\circ}$ F (-3.3  $^{\circ}$ C).

#### 7. Smoking.

a. <u>Requirements</u>. Stuffed casings of formulated product must be smoked in accordance with FSIS procedures. The type and amount of liquid smoke flavoring and the smoke ingredients used for smoke impregnated fibrous casings must be in compliance with FSIS regulations, 9 C.F.R. § 381.147, and this Specification.

#### b. Labeling of smoked products.

- (1) Product smoked in compliance with FSIS Policy Memo 058-A (1), (2), or (3) (naturally smoked, smoked by transforming into gaseous state or vapor, or smoked impregnated casings) shall be labeled in accordance with the section III.B.6.a.(1).
- (2) Product smoked in compliance with FSIS Policy Memo 058-A (4) or (5) (smoke incorporated into product as an ingredient) shall be labeled in accordance with section III.B.6.a.(2). The smoke flavoring must be listed in the ingredients statement.
- 8. <u>Cooking</u>. The turkey hams must be smoked/cooked to an internal product temperature of 155 °F (68.3 °C) or higher. Cooking methods and product temperature will be monitored by FSIS personnel in accordance with FSIS procedures.
- 9. <u>Cooling</u>. After cooking, the hams must be cooled to an internal product temperature of  $40\,^{\circ}\text{F}$  ( $4.4\,^{\circ}\text{C}$ ) or lower. Cooling methods and procedures must be in compliance with 9 C.F.R. § 381.66 and the FSIS Directive 7110.3 (Time/Temperature Guidelines For Cooling Heated Products).
- 10. <u>Packaging and Packing Materials</u>. All packaging and packing materials must comply with the requirements of this Specification, be clean and in new condition, and must not impart objectionable odors or flavors to the product.

#### a. Bags and casings.

- (1) Packaging materials--bags and casings--must be safe (cannot adulterate product or be injurious to health) for use in contact with food products. The safety of food-contact packaging materials will be determined by FSIS according to the criteria and procedures in 9 C.F.R. § 381.144.
- (2) Bags or casings for packaging smoked turkey hams must be made of water-proof film with oxygen barrier properties. Bags and casings must be heat-shrinkable, and have: (a) low-temperature flexibility (not brittle) and durability to resist stress-cracking

#### II.C.10.

caused by the temperatures of freezing and frozen storage, and (b) the impact and tensile strength, and tear and abrasion resistance to protect the product from dehydration, freezer burn, quality deterioration or contamination during the conditions of use. Any seams in the bag or casing must provide the protective qualities equivalent to the body of the bag or casing.

#### b. Shipping containers.

- (1) <u>Requirements</u>. Shipping containers must: (a) be a fiberboard container; (b) be of such size to pack the commodity without slack filling or bulging; (c) protect the commodity against loss and damage; (d) withstand the variations in humidity and temperature during the conditions of use; and (e) have the combined facings weight and the compression strength (edge crush value) to withstand the stresses of handling, shipping, stacking, and storage.
- (2) <u>Container Bottom</u>. Flaps on the bottom of a shipping container must be securely fastened so the bottom remains securely fastened when the top of the container is opened.
- (3) <u>Final Closure</u>. Final closure of the shipping containers must be secure and made with commercially acceptable filament-reinforced tape, plastic-film packaging tape, non-metallic strapping, adhesive, or other similar types of materials that are applicable for cold temperature storage conditions and that provide for safe handling of the commodity. Steel or wire straps must not be used for the final closure. Staples must not be used for the final closing of shipping containers. However, staples may be used to manufacture and to assemble the shipping containers, provided the staples are fastened into the container and tightly clenched to eliminate sharp edges prior to packing the commodity into the shipping containers.

#### 11. Packaging and Packing.

- a. <u>Packaging</u>. After the smoking, cooking, and cooling processes, the fibrous casing must be removed from the turkey hams just prior to packaging. Turkey hams must be packaged in a heat shrinkable oxygen- and water-proof bag or casing (as described in II.C.10.a.).
- (1) The excess air must be removed (by vacuum) from each bag or casing. The bag or casing must be shrunk to fit tightly against the surface of the hams.
- (2) After the air is removed, the bags or casings must be hermetically heat sealed to ensure a vacuum closure and to prevent product dehydration and quality deterioration. Metal wire ties, paper-coated wire ties, or staples must not be used for sealing bags or casings.
  - b. Packing. Four packaged hams must be packed in each shipping container.

II.C.

12. Freezing. Packaged smoked turkey hams must be placed in a freezer within 24 hours of packaging and must be frozen by lowering the internal product temperature to 0 °F (-17.8 °C) or lower within 72 hours from the time of entering the freezer. If the packaged hams are not placed in a freezer immediately after packaging, the hams must be held at a room temperature not higher than 36 °F (2.2 °C) and not lower than 26 °F (-3.3 °C) for no longer than 48 hours. When packaged hams are held at a room temperature below 26 °F (-3.3 °C), the turkeys will be considered to be in a freezer and subject to the 72-hour freezing requirement which begins when the hams enter the freezer.

#### D. Metal Detection

#### 1. Requirements.

- a. Each fabricated turkey ham must be examined by a metal detection device: (1) accepted by FSIS; and (2) capable of detecting metallic contaminants including, but not limited to, stainless steel shavings, metal clips, metal fragments from cutting equipment, and pieces of wire.
- b. The commodity must be presented correctly within the detection field pattern of the device. Procedures used must be appropriate for the dimensions, location, and pattern of the detection field, the "orientation effect" on the sensitivity of the device, the environmental conditions, and the commodity.
- 2. <u>Operating Efficiency and Procedures</u>. The operating efficiency of the metal detection device will be determined hourly by the USDA grader by placing a detection test strip with a sphere of 440 stainless steel in the center of the detection field pattern. Poultry Programs will provide the detection test strip with the stainless steel sphere of the specified diameter.
- a. Turkey hams must be examined prior to or after placing hams in the bag or casing. As an alternate method, the formulated ham product may be examined by an in-line metal detection device installed in the mechanical stuffing or forming system before smoking and cooking. If the alternate metal detection method (in-line) is used and casings are later cut to meet the physical requirements in II.E.3., hams must also be examined by a metal detection device prior to or after placing hams in the bag or casing.
- b. The USDA grader will use a detection test strip with a 3.00 mm (0.1181 inch) sphere for the examination of: (1) packaged hams, (2) packaged hams in a shipping container, or (3) the formulated ham product in an in-line system, as applicable, for the detection system.
- c. As an alternate test method for an in-line detection device, a detection test strip with a 1.50 mm (0.0591 inch) sphere may be placed in the detection field outside and adjacent to the device carrying the formulated product.

#### II.D.

- 3. <u>Contaminated Product</u>. These guidelines do not relieve the contractor of the responsibility to provide a safe product. Product found to be contaminated with metal will be handled in accordance with FSIS procedures.
- 4. <u>Other Detection Procedures</u>. Other procedures for examination of the commodity must be approved by the Deputy Administrator of Poultry Programs, in writing.

#### E. Finished Smoked Turkey Ham Requirements

- 1. Skin. No skin must be used in the smoked turkey hams.
- 2. <u>Fabrication</u>. Turkey hams must be fabricated, packaged, and packed so they can be hand-sliced or sliced by a meat slicer with minimal separation.
- 3. <u>Physical Requirements</u>. Packaged smoked turkey hams must (a) be 4 to 5 inches (10.16 to 12.70 cm) and round in diameter, and (b) weigh 9 to 11 pounds (4.08 to 4.99 kg) each.
- 4. <u>Water Added Statement</u>. The finished smoked turkey ham must be formulated with water and other ingredients in a manner that complies with the required labeling of "15 percent water" added for each ham.
- 5. <u>Percent Fat Free Statement</u>. The finished smoked turkey ham must be formulated to comply with the requirements of this Specification, and comply with the "95 Percent Fat Free" statement to be placed on each shipping container. The contractor/processor is responsible for providing any analysis data required by FSIS to label this commodity.
- 6. <u>Defects</u>. Finished hams will be examined for the organoleptic requirements and defects shown in Table 3 below prior to freezing. A USDA grader will examine two hams each sampling interval for exterior defects. The same sample hams will then be sliced into three approximately equal portions exposing a total of eight interior surfaces that will be examined for interior defects. The frequency of sampling and the number of defects allowed will be those outlined in Poultry Programs' SPL-2 found in the Poultry Graders Handbook. Examination for the defects shown in Table 3 will be made separately.
- a. Any product that does not comply with the organoleptic requirements will be rejected for use under this Specification.
- b. The color of the hams must be a uniform mahogany color that is no lighter than the "light tolerance" or darker than the "dark tolerance" shown in the color control guidelines for smoked turkey ham examples prepared by Poultry Programs, dated July 1994 (provided by Poultry Programs to plants with a contract).

c. If the sample has more interior and/or exterior defects than the maximum tolerance for sample plan, the product the sample represents will be rejected and may be reworked in accordance with II.E.7.

Table 3. Organoleptic Requirements and Defects for Turkey Hams

Organoleptic Requirements:	<b>Ham must not:</b> Be rancid; have a sour, stale, fruity, sulfide-like, cardboardy, tallowy, oily, oxidized, metallic, acidic, or other off or foreign odors; contain foreign materials (e.g., glass, paper, rubber, metal); or have foreign flavors such as, but not limited to, burnt, scorched, or stale.	
Exterior Defects:	The exterior of finished ham contains individual major surface voids (including air voids, fat pockets, and purge pockets) exceeding an aggregate area equivalent to the area of a circle with the diameter 0.75 inch (1.91 cm).  The hams show evidence of excessive heating (darkened or scorched).	
Color Defects:	<b>A</b> n individual ham which does not have a mahogany color associated with smoked meats, or one with a mahogany color lighter than or darker than the tolerance.	
Interior Defects: Hams will be cut (widthwise) in three approximate equal pieces.	<b>The interior of ham contains:</b> Voids, gelatin or fat pockets on the sliced surfaces which exceed an aggregate area per surface equivalent to the area of a circle with the diameter 0.75 inch (1.91 cm).	

- 7. <u>Reworked Turkey Hams</u>. Smoked turkey hams which are fractured (separated into two or more pieces); misshaped; have cuts; more internal or external defects than the maximum tolerances allowed; or do not meet the size and weight requirements may be reworked (defects removed) and incorporated into formulated batches of turkey ham provided:
- a. The temperature of the turkey hams has not exceeded an internal product temperature of  $40~^{\circ}F$  ( $4.4~^{\circ}C$ ) and they have been maintained at that temperature or lower;
- b. The hams are reworked within 72 hours from the end of the shift they were packaged;
- c. The hams are ground through a plate with holes 0.125 inch (1/8 inch) (3.175 mm) in diameter;
- d. The hams are incorporated at a maximum of 2 percent of the formulated batch (2 percent of the total 15 percent trimmings allowed); and
- e. The hams are added to formulated product which will undergo the same smoking method(s).

#### III. LABELING

#### A. Packaged Turkey Hams

- 1. <u>USDA Plant Number</u>. The USDA-assigned plant number must be shown on each bag or casing in legible form.
- 2. <u>Name and Production Date</u>. The name and address of the contractor/processor must not be shown on the bags or casings. Date of production (month, day, and year) must be shown on the bag or casing of each ham.

#### B. Shipping Containers for Turkey Hams

- 1. <u>Labeling Provisions</u>. Labeling and marking of the product must be in accordance with this Specification. Labeling is subject to the provisions of 9 C.F.R. § 381.132(c)(3)(iv). The name and address of the contractor/processor must not be shown on shipping containers.
- 2. <u>Printing Requirements</u>. Printed, stamped, and stenciled labeling and marking information on shipping containers and packaging materials must be water-fast, nonsmearing, of a contrasting color, clear, and readable.
- 3. <u>Labeling Format</u>. Any deviation from the labeling requirements in this Specification must be approved by the Contracting Officer, in writing, prior to start of production.
- 4. Recycle Symbol and Statement. The contractor shall place somewhere on the surface of each recyclable shipping container the recycle symbol shown in EXHIBIT 2. The statement "PLEASE RECYCLE" is to be placed under the symbol. The recycle symbol and statement must be legibly printed in permanent ink.

#### 5. Universal Product Bar Code.

- a. A Universal Product Code (UPC), symbol and code, called Interleaved 2 of 5 (I 2/5), must appear on each shipping container. The complete code, including the check digit, must be printed in machine-readable and human-readable form. The start and stop indicators will be included in the bar codes. Printing, readability, and scanability of the bar code must be in accordance with UPC guidelines published by Uniform Code Council, Inc., 8163 Old Yankee Road, Suite J, Dayton, Ohio 45458.
- b. The contractor will use the code furnished by USDA. USDA has acquired a unique manufacturer's identification number for the commodity purchase programs and will use a unique item code number for turkey hams purchased under this Specification. The contractors need not join Uniform Code Council, Inc.
  - c. The 14-digit UPC code for turkey hams is: 1 07 15001 01548 5

d. The UPC code must be placed in the lower right-hand corner of both side panels of the shipping container.

#### 6. <u>Labeling and Marking Information</u>.

- a. <u>Requirements</u>. Labeling and marking information must be preprinted, stamped, or stenciled on shipping containers. This information, in essentially the same layout, is provided in EXHIBITS 3 and 4.
- (1) Hams smoked in compliance with the methods described in II.C.7.a. and b.(1), shall be labeled in accordance with EXHIBIT 3, "Label Information for Shipping Containers of Smoked Turkey Ham."
- (2) Hams smoked in compliance with the methods described in II.C.7.a. and b.(2), shall be labeled in accordance with EXHIBIT 4, "Label Information for Shipping Containers of Smoked Turkey Hams, Smoke Flavor Added."
- b. <u>"END" and "SIDE" designations</u>. For the purpose of labeling and marking, the "end" and "side" panels may relate to the shortest and longest dimensions of the shipping container at the discretion of the contractor/processor. However, the panels must alternate between "end" panel and "side" panel designation with the two side panels and two end panels being located on opposite panels of the shipping container.
- 7. <u>TOP PANEL Labeling and Marking</u>. The following information must appear on the top panel of each shipping container:
- a. <u>Commodity type, product name, qualifying statement, and ingredients statement</u>. The qualifying statement must be printed in accordance with 9 C.F.R. § 381.171(e).
- (1) For turkey ham, smoked in accordance with II.C.7.a. and b.(1) (see page 9):

# FROZEN FULLY COOKED SMOKED TURKEY HAM \* with 15 % Water \* Cured Turkey Thigh Meat, Chunked and Formed Ingredients:

(2) For turkey ham, smoked in accordance with II.C.7.a. and b.(2) (see page 9). The smoke flavoring must be listed in the ingredients statement:

## FROZEN FULLY COOKED SMOKED TURKEY HAM \* with 15 % Water

\* Cured Turkey Thigh Meat, Chunked and Formed, Smoke Flavor Added Ingredients:

- (3) The asterisks (\*) must appear on each shipping container (as shown above) beside the product name and qualifying statement.
- (4) The ingredients statement must appear on the top panel of the shipping container following the commodity type, product name, and qualifying statement. Ingredients must be listed by proper name and order in accordance with 9 C.F.R. § 381.118.
- b. <u>Storing instructions</u>. The following storing instructions must be printed on the top panel of the shipping container:

#### PERISHABLE--KEEP FROZEN KEEP AT ZERO DEGREE F (-17.8 °C) OR BELOW

- c. <u>Key points for handling commodity</u>. Handling information is required on each shipping container of commodity. The "KEY POINTS FOR HANDLING" must be legibly printed on the top panel of each container. This information, in essentially the same layout, are set out in EXHIBITS 3 and 4.
- d. <u>Nutritional labeling</u>. A nutritional label, indicating the nutrient content of the commodity, is required on the top panel of each shipping container. This nutritional facts information or "nutrition facts panel" must be in compliance with the FSIS nutritional labeling requirements found in 9 C.F.R. § 381.400(b) through § 381.499.
- (1) The contractor/processor must select one of the following methods of providing the nutrition facts panel:
  - (a) Preprinted on the top panel of each shipping container; or
- (b) Printed on a pressure-sensitive label and applied to the top panel of each shipping container. The pressure-sensitive label must not cover or conflict with the labeling requirements of this Specification.
- (2) NOTE: The nutrition facts information and panel must be preapproved by FSIS prior to shipment of the commodity. The method of providing and location of this information for each shipping container (preprinted or pressure-sensitive label) must be indicated on the FSIS label application. The pre-approved nutrition information must be provided to the USDA inspection personnel at the plant where the commodity is to be packed for shipment.

- 8. <u>ONE END Panel Labeling and Marking</u>. The following information must appear on one end of the shipping container:
- a. Type, name, qualifying statement, and percent fat free statement. The commodity type, product name, qualifying statement, and the percent fat free statement (see II.E.5.) must be printed on the "one end" designated panel of each shipping container. The words, "FULLY COOKED SMOKED TURKEY HAM," must be printed in letters at least 1 inch (2.54 cm) high:
  - (1) For smoked turkey ham (II.C.7.a. and b.(1)):

## FULLY COOKED SMOKED TURKEY HAM $^*$ with 15 % Water $^*$ Cured Turkey Thigh Meat, Chunked and Formed 95% FAT FREE

(2) For smoked turkey ham (II.C.7.a. and b.(2)):

FULLY COOKED SMOKED TURKEY HAM  $^*$  with 15 % Water  $^*$  Cured Turkey Thigh Meat, Chunked and Formed, Smoked Flavor Added 95% FAT FREE

- b. <u>Contract number</u>, <u>pack date</u>, <u>and net weight</u>. The following information may be preprinted, stamped, or stenciled on the shipping containers, or on a separate pressure-sensitive label:
- (1) The last five digits of the contract number as it appears in the acceptance wire.
  - (2) Date packed (month, day, year).
- (3) Net weight. The following net weight statement must be completed and printed on each shipping container:

4 Hams Net Combined Weight LBS.

- c. <u>Inspection mark and plant number</u>. USDA inspection mark and USDA-assigned plant number must be printed on the "one end" designated panel of each shipping container.
- d. <u>Storing instructions</u>. The following storing instructions must be printed on the "one end" designated panel of each shipping container:

#### KEEP FROZEN

#### III.B.

- 9. ONE SIDE Panel Labeling and Marking. The following information must be printed on the side panel immediately to the right of the "one end" panel containing the information designated in III.B.8.:
- a. <u>Type, names, ingredients statement, and legend</u>. The commodity type, fanciful and descriptive name, the ingredients statement, and the legend must be printed on the "one end" designated panel of each shipping container. Ingredients must be listed by proper name and order in accordance with 9 C.F.R. § 381.118.
  - (1) For smoked turkey ham (II.C.7.a. and b.(1)):

FROZEN FULLY COOKED SMOKED TURKEY HAM Ingredients:

Distributed by USDA in cooperation with State and local or tribal governments for domestic food assistance programs.

Not To Be Sold Or Exchanged.

(2) For smoked turkey ham (II.C.7.a. and b.(2)):

## FROZEN FULLY COOKED SMOKED TURKEY HAM Smoke Flavor Added

Ingredients:

Distributed by USDA in cooperation with State and local or tribal governments for domestic food assistance programs.

Not To Be Sold Or Exchanged.

- b. <u>USDA symbol</u>. The USDA symbol, copy on back of Specification, is to be a minimum of 2.25 inches (5.72 cm) in height, and must be printed on the "one end" designated panel of each shipping container.
- c. <u>UPC code</u>. The UPC code (see III.B.5.) must be printed on the lower right-hand corner of the "one end" designated panel of each shipping container.
- 10. <u>THE OTHER END Panel Labeling and Marking</u>. For each shipping container, the following information must appear on the end opposite the panel designated "one end:"
- a. <u>Type, name, and percent fat free statement</u>. The words, "FULLY COOKED SMOKED TURKEY HAM," in letters at least 1 inch (2.54 cm) high, and the percent fat free statement must be printed on "the other end" designated panel of each shipping container.

(1) For smoked turkey ham (II.C.7.a. and b.(1)):

#### FULLY COOKED SMOKED TURKEY HAM 95% FAT FREE

(2) For smoked turkey ham (II.C.7.a. and b.(2)):

#### FULLY COOKED SMOKED TURKEY HAM Smoke Flavor Added 95% FAT FREE

- b. <u>USDA symbol</u>. The USDA symbol (see III.B.9.b.) must be printed on end opposite the panel designated "one end."
- 11. <u>THE OTHER SIDE Panel Labeling and Marking</u>. For each shipping container, the following information must appear on the side opposite the panel designated "one side:"
- a. <u>Type, name, and legend</u>. The commodity type and product name, and the legend must be printed on the side opposite the panel designated "one side." **The ingredients statement is not required on this side of the shipping container.** 
  - (1) For smoked turkey ham (II.C.7.a. and b.(1)):

FROZEN FULLY COOKED SMOKED TURKEY HAM Distributed by USDA in cooperation with State and local or tribal governments for domestic food assistance programs. Not To Be Sold Or Exchanged.

(2) For smoked turkey ham (II.C.7.a. and b.(2)):

FROZEN FULLY COOKED SMOKED TURKEY HAM
Smoked Flavor Added
Distributed by USDA in cooperation with State and local
or tribal governments for domestic food assistance programs.
Not To Be Sold Or Exchanged.

- b. <u>UPC code</u>. The UPC code (see III.B.5.) must be printed on the lower right-hand corner of "the other end" designated panel of each shipping container.
- 12. <u>Inventory Control Label</u>. The processor may use a pressure-sensitive label to place any additional information (including bar codes) for processor inventory control purposes. This label may be applied somewhere on the surface of the shipping container. The

#### III.B.12.

label must not: (a) contain the contractor or processor name or address, or (b) cover or conflict with the labeling requirements of this Specification.

#### C. <u>Use of Previously Printed Material</u>

Carryover inventories of existing supplies of printed packing materials from the Commodity Specification for Smoked Turkey Ham dated April 1998 may be used. If the ingredients statement, smoke ingredients, or labeling of smoke ingredients changes from that printed on existing supplies, the contractor/processor must request temporary approval for use of carryover inventories from FSIS.

Shipping containers or labels with incorrect: (1) contract number, (2) plant number, (3) net weight, (4) date packed, (5) name of product, (6) qualifying statement, (7) ingredients statement, or (8) nutrition facts information or panel must be corrected before they are used. The incorrect information must be blocked out and the correct information legibly printed, stamped, or stenciled in permanent ink. Corrected labeling information must be approved by FSIS prior to use.

#### D. F.a.s. Vessel Deliveries

F.a.s. vessel deliveries that are not source loaded in a seavan are required to show the final destination's overseas address as provided in the Notice to Deliver. The address must be clearly printed on at least two sides of each pallet.

#### IV. FINAL EXAMINATION OF PACKAGED AND PACKED COMMODITY

#### A. Material and Net Weight Compliance

#### 1. Verification of Materials and Defects.

a. <u>Verification of packaging and packing materials</u>. The contractor must verify compliance with packaging, packing, and marking material requirements by furnishing the USDA grader the following certification on company stationery signed by a person authorized to do so by the contractor:

"(I)(We) certify that the packaging, packing, and marking materials used for any commodity presented for acceptance under the terms of this Commodity Specification for Smoked Turkey Hams dated April 1999, comply or will comply with the terms of this Commodity Specification.

Name	
Title	,,

One certification is adequate for all production under this Specification.

- b. <u>Packaging defects</u>. Packages in a delivery unit will be examined for defects that affect protection, expose product, or permit dehydration or freezer burn, or quality deterioration during storage, such as tears, holes, or improperly sealed packages.
- c. <u>Packing defects</u>. Shipping containers in a delivery unit will be examined for condition, labeling, and marking defects according to the United States Standards for Condition of Food Containers.
- d. <u>Tolerance for defects</u>. If samples of packaged commodity or the shipping containers in a delivery unit have more defects than the maximum tolerance for the applicable Poultry Programs' sample plan, the delivery unit will be rejected.
- 2. <u>Net Weight</u>. A purchase or delivery unit must total 40,000 pounds (18,144 kg) net, or multiples thereof.
  - a. <u>Test weighing procedures</u>.
- (1) The tare weight of all packing materials will be determined by weighing a representative sample of all packaging components such as plastic-film bags, clips, and fiberboard containers.
- (2) A representative sample will be selected in accordance with the following sample plan:

Number of Shipping Containers in Lot	Number of Shipping <u>Containers in a Sample</u>	
1 - 3	All	
4 - 50	4	
51 - 100	5	
101 - 200	6	
201 - 400	7	
401 - 600	8	

For each additional 100 cases, or fraction thereof, in excess of 600 cases, one additional case shall be included in the sample.

c. Weight variations. A weight variation of plus or minus 1 percent (39,600 to 40,400 pounds (17,962 to 18,325 kg)) is permitted on each delivery unit. USDA will pay the contractor only for the amount of commodity delivered within the required weight range. Any delivery unit weighing less than 39,600 pounds (17,962 kg) net will be rejected. Net weight for hams will be determined at origin. The net weight of each delivery unit will be

#### IV.B.2.

determined by a USDA grader at the contractor's expense at the destination.

b. <u>Alternate net weight verification</u>. As an alternative to test weighing at time of loading, the contractor may request on-line verification of net weights. Upon receiving the request, a Federal-State supervisor, Grading Branch, Poultry Programs will determine that the facilities and procedures are in accordance with the applicable Poultry Programs' instructions for this Specification.

#### B. Prerequisites for Loading and Shipping Frozen Commodity

1. <u>Visual Inspection</u>. Frozen commodity showing any evidence of thawing, refreezing, or freezer deterioration will be rejected for use under this Specification.

#### 2. <u>Internal Product Temperature</u>.

- a. Requirements. The internal product temperature of frozen commodity must be 2 °F (-16.7 °C) or lower at time of loading. Delivery units with internal product temperatures exceeding 2 °F (-16.7 °C) and up to 5 °F (-15 °C) will be tentatively rejected. Tentatively rejected delivery units may be returned to the freezer and the temperature reduced to 2 °F (-16.7 °C) or lower and reoffered one time only. Delivery units exceeding 5 °F (-15 °C) or delivery units that have been tentatively rejected and exceed 2 °F (-16.7 °C) when reoffered will be rejected.
- b. Optional temperature verification. As an option to verifying internal product temperature at time of loading, the contractor may request an alternate method utilizing product temperature sensing devices. If this option is selected, a Federal-State supervisor will determine that the facilities, equipment, procedures, and the contractors' current level of freezing compliance are in accordance with the established guidelines outlined in the applicable Poultry Programs' instructions for this Specification.

#### C. Inspection and Checkloading

- 1. Requirements. Inspection for contract compliance will be made by a USDA representative, in accordance with 7 C.F.R. Part 70, 9 C.F.R. Part 381, and this Specification, at site of processing, both during and after processing and packaging. A USDA representative may select samples or inspect the commodity at any point in transit and after delivery to point of destination. Inspection records must be complete and made available to USDA, as requested, to assure contract compliance.
- 2. <u>Procedures</u>. The inspection and checkloading required by Articles 54 and 55 of USDA-1 must be performed by the USDA grader. Procedures to be followed and a schedule of fees for these services may be obtained by contacting the nearest Grading Branch field office or the Chief of Grading Branch, Poultry Programs, AMS, USDA, Room 3938-S, STOP 0258, 1400 Independence Avenue, SW, Washington, D.C. 20250-0258, telephone

(202)

720-3271. The quality, quantity, weight, packaging, packing, and checkloading of the commodity must be evidenced by certificates issued by the USDA grader. Contractor must not ship the commodity unless informed by the USDA grader that the designated commodity to be shipped meets contract specifications.

#### V. UNITIZATION

Each delivery unit of smoked turkey hams must be unitized (palletized and stretchwrapped) and comply with the following:

#### A. Pallets

Pallets must be good quality, wood, 48 inches x 40 inches, nonreversible, flush stringer, and partial fourway entry. Each pallet of shipping containers must be stretchwrapped with plastic film in a manner that will secure each container and layer of containers on the pallet. Palletized product must be loaded in a way that will prevent shifting and damage to the containers of product.

#### B. Pallet Exchange

Contractors may arrange for pallet exchange with consignees; however, USDA is in no way responsible for such arrangements.

#### VI. SHIPMENT AND DELIVERY

Shipment and delivery must be made in accordance with this Specification, the applicable Announcement and Invitation, and Articles 56, 57, and 64 of USDA-1, as amended by the Announcement. In addition, the following provisions must be adhered to:

#### A. Contract Compliance Stamp

Each shipping container must be identified with a USDA Contract Compliance stamp with the applicable certificate number. A USDA grader, or other authorized personnel under the supervision of the USDA grader, will stamp one end of each shipping container prior to shipment. If there is inadequate space available on either end of the shipping container, the stamp may be applied to a side of the container.

#### B. <u>Grading Certificate</u>

A copy of the original USDA Poultry Products Grading Certificate issued at time of checkloading must accompany each shipment.

1. <u>Railcar or Piggyback</u>. If shipment is by rail or piggyback, the certificate must be placed in the railcar or trailer for easy access to the USDA grader, warehouseman, or

#### VI.B.1.

consignee, as applicable.

2. <u>Trucks</u>. If shipment is by truck, the driver must, upon delivery, give the certificate to the USDA grader, warehouseman, or consignee, as applicable.

#### C. Loading and Sealing of Vehicles

Loading must be in accordance with good commercial practices and the sealing must be done at origin under the supervision of a USDA grader.

- 1. <u>Railcar</u>. Each railcar must be sealed. The contractors are responsible for arranging railcar deliveries of more than one delivery unit so that each delivery unit contained in the same railcar can be completely separated and sealed.
- 2. <u>Truck or Piggyback</u>. Truck or piggyback shipments must be sealed at origin. A delivery unit shipped by truck or piggyback which includes split deliveries to two destinations will not require separation by sealing each drop.

#### D. <u>Delivery Notification</u>

Notwithstanding the provisions of Article 56(c) of USDA-1, as amended by the applicable Announcement, the contractor must follow the instructions in the Notice to Deliver issued by the Kansas City Commodity Office (KCCO) concerning delivery notification. Such notification and information of impending delivery are vital in proper execution of delivery. The contractor must notify the State distributing agency and the consignee of shipment per instructions in the Notice to Deliver. For rail or piggyback shipments, notification shall be made on the day of shipment. For truck shipments, notification of the estimated arrival time should be made as far in advance of delivery as possible. In addition, for truck or piggyback shipments, the contractor must request and keep scheduled appointment(s). Unloading appointments for truck or piggyback shipments must be requested from the consignee contact party(ies) at least 24 hours in advance of delivery.

- 1. <u>In-Plant Deliveries</u>. When in-plant delivery is made, the contractor must notify the appropriate USDA resident grader and furnish applicable information.
- 2. <u>Delivery In Storage</u>. Delivery may be made in store provided the destination in the Notice to Deliver and the place the contractor has the commodity in storage are the same. Inspection and certification by a USDA grader are also required for transfers in store.
- 3. <u>Early Delivery</u>. The contractor may deliver early upon approval of the KCCO. Approval may be obtained by telephoning (816) 926-6068. Approval is contingent on the recipient's concurrence to accept early delivery and upon the USDA grader being available to perform necessary checkloading and final acceptance duties.

#### E. Split Deliveries

The contractor is responsible to deliver the quantity stated on each Notice to Deliver to each destination. Contractors must provide to the USDA Grader, at time of shipment, the number of boxes and pounds for each destination.

At the option of the contractor, a purchase unit with two Notices to Deliver (split deliveries) for two different destinations may be delivered on two separate trucks provided each truck ships the total quantity stated on the Notice to Deliver. Any additional costs will accrue to the contractor's account.

#### VII. DESTINATION EXAMINATION

The cost of a destination examination, before or after delivery, by a USDA grader on accepted product will be for the account of USDA. Costs for destination examinations of rejected delivery units will be for the account of the contractor. The USDA origin grader will make arrangements for destination examination prior to delivery.

#### A. Commodity Requirements

Before acceptance by consignee, the commodity may be examined by a USDA grader on a spot-check basis for temperature, condition, identity, and when applicable, count. The commodity may be examined for conformance to contract provisions at any time required by the Contracting Officer.

#### B. <u>Temperature</u>

The commodity must arrive at destination at an average internal product temperature not to exceed 10 °F (-12.2 °C) with no individual temperature exceeding 15 °F (-9.4 °C). Commodity not meeting these requirements will be rejected for use under this Specification.

\_\_\_\_\_

D. Michael Holbrook Deputy Administrator, Poultry Programs

Attachment


## **EXHIBIT 1 Example Formulation For Smoked Turkey Hams**

In the formulation of turkey hams, the meat/ingredient portion and the added water portion are considered two separate components. The meat/ingredient portion is cited in section II.C.4. on page 7 of this Specification. Water/ice must be added to the meat/ingredient portion to assist in the processing of turkey hams and may be added in an amount to be determined by the contractor/processor taking into consideration the smoking/cooking method and yield. The end product must comply with the 15 percent water added requirement and this Specification. The formulation below is only an example and should not be mistaken for actual poundage to be used.

	<u>Nu</u>	ımber of Pounds
Size-Reduced Turkey Thigh Meat (may contain up to 15% th		95.45
Salt		2.00
Brown Sugar		2.00
Sodium Phosphate		0.50
Sodium Erythorbate		0.04
Sodium Nitrite	Raw Weight w/o Water	0.01 100.00 lbs.
Water/Ice	Raw Batch Weigh	$\frac{43.75}{143.75}$ lbs
	Finished Weight	$\frac{x - 0.80}{115.00}$ * 115.00 lbs.

<sup>\*</sup> Percent yield after smoking/cooking.

EXHIBIT 2 "Please Recycle" Symbol and Statement



## PLEASE RECYCLE

#### **EXHIBIT 3 Label Information for Shipping Containers of Smoked Turkey Ham** Smoked In Accordance With II.C.7.b.(1) (page 9).

Marking Information: Shipping containers shall be marked substantially as shown below. Markings must be preprinted, stamped, or stenciled on containers, water-fast, nonsmearing, of a contrasting color, clear, and readable. The words "FULLY COOKED SMOKED TURKEY HAM," (on each end) must be in letters at least 1 inch (2.54 cm) high. The USDA symbol is to be a minimum of 2.25 inches (5.72 cm) in height. The UPC 14-digit I 2/5 code (1 07 15001 01548 5), bar and code, must be shown in the lower righthand corner of both side panels. The recycle symbol and statement must be legibly printed somewhere on the surface of each recyclable shipping container.

#### 62% EVL EKEE ENTTA COOKED SWOKED LIBKEA HYW



# and local or tribal governments for domestic food assistance programs. FROZEN FULLY COOKED SMOKED TURKEY HAM Distributed by USDA in cooperation with State Not To Be Sold Or Exchanged.

KEY POINTS FOR FROZEN FULLY COOKED SMOKED TURKEY HAM \* with 15% Water Cured Turkey Thigh Meat, Chunked and Formed 95% FAT FREE

Ingredients:

**Handle Properly To Avoid** Spoilage Or Possible Food Poisoning.

PRODUCT: Smoked Turkey Hams are fully cooked and ready-to-eat without further cooking. Hams may be served thawed or heated. The Hams are produced from turkey thigh meat. No skin is used. Use within 3 to 4 months for best quality. Do Not Refreeze After Thawing Or Heating.

**THAWING:** Remove Hams from original bags or casings and place in single layer on sheet pans or trays. Thaw in refrigerator (36 °F-45 °F  $(2.2 \, ^{\circ}\text{C-}7.2 \, ^{\circ}\text{C}))$ . Do not hold thawed hams longer than 24 hours before heating or serving.

> Thaw Only Amount Needed For 1 Day's Use. Avoid Leftovers. Do Not Thaw At Room Temperature Or In Water.

**HEATING:** Remove bag or casing. Put Hams, thawed or frozen, in pan and cover. Heat at 325 °F (162.8 °C) to an internal temperature of 140 °F (60 °C).

> Estimated heating times if frozen: Deck Oven 31/2 - 4 hours Convection Oven 3 - 31/2 hours

Estimated heating times if thawed: Deck or Convection Oven 75 to 90 minutes

**SERVING:** Serve hot or cold, sliced in hoagie or hero sandwiches, salads, as an entree, or in any recipe specifying cooked turkey. Refrigerate any leftovers and use within 2 days.

**YIELD:** One pound of turkey ham provides 9.5 1-ounce (28.35 g) servings of cooked turkey.

> **Nutrition Facts Panel** Must Be Placed On The Top Panel.

PERISHABLE--KEEP FROZEN KEEP AT ZERO DEGREE F (-17.8 °C) OR BELOW

FROZEN FULLY COOKED SMOKED TURKEY HAM

and local or tribal governments for domestic food assistance programs Distributed by USDA in cooperation with State Not To Be Sold Or Exchanged



#### FULLY COOKED SMOKED TURKEY HAM \*

with 15% Water \* Cured Turkey Thigh Meat, Chunked and Formed 95% FAT FREE



KEEP FROZEN

4 Hams Net Combined Weight \_\_\_\_ LBS.

CONTRACT NO. DATE PACKED Month, Day, and Year

EXHIBIT 4 Label Information for Shipping Containers of Smoked Turkey Ham, Smoke Flavor Added

Marking Information: Shipping containers shall be marked substantially as shown below. Markings must be preprinted, stamped, or stenciled on containers, water-fast, nonsmearing, of a contrasting color, clear, and readable. The words "FULLY COOKED SMOKED TURKEY HAM," (on each end) must be in letters at least 1 inch (2.54 cm) high. The USDA symbol is to be a minimum of 2.25 inches (5.72 cm) in height. The UPC 14-digit I 2/5 code (1 07 15001 01548 5), bar and code, must be shown in the lower righthand corner of both side panels. The recycle symbol and statement must be legibly printed somewhere on the surface of each recyclable shipping container.

#### 62% EVL EKEE Smoke Flavor Added **ENTLY COOKED SMOKED TURKEY HAM**



# and local or tribal governments for domestic food assistance programs FROZEN FULLY COOKED SMOKED TURKEY HAM Distributed by USDA in cooperation with State Not To Be Sold Or Exchanged.

UPC Code

KEY POINTS FOR FROZEN FULLY COOKED SMOKED TURKEY HAM \* with 15% Water Cured Turkey Thigh Meat, Chunked and Formed. **Smoke Flavor Added** 95% FAT FREE

Ingredients:

Handle Properly To Avoid **Spoilage Or Possible** Food Poisoning.

PRODUCT: Smoked Turkey Hams are fully cooked and ready-to-eat without further cooking. Hams may be served thawed or heated. The Hams are produced from turkey thigh meat. No skin is used. Use within 3 to 4 months for best quality. Do Not Refreeze After Thawing Or Heating.

**THAWING:** Remove Hams from original bags or casings and place in single layer on sheet pans or trays. Thaw in refrigerator (36 °F-45 °F (2.2 °C-7.2 °C)). Do not hold thawed hams longer than 24 hours before heating or serving.

> Thaw Only Amount Needed For 1 Day's Use. Avoid Leftovers. Do Not Thaw At Room Temperature Or In Water.

**HEATING:** Remove bag or casing. Put Hams, thawed or frozen, in pan and cover. Heat at 325 °F (162.8 °C) to an internal temperature of 140 °F (60 °C).

> Estimated heating times if frozen: Deck Oven 3½ - 4 hours Convection Oven 3 - 31/2 hours

Estimated heating times if thawed: Deck or Convection Oven 75 to 90 minutes

SERVING: Serve hot or cold, sliced in hoagie or hero sandwiches, salads, as an entree, or in any recipe specifying cooked turkey. Refrigerate any leftovers and use within 2 days.

**YIELD:** One pound of turkey ham provides 9.5 1-ounce (28.35 g) servings of cooked turkey.

> **Nutrition Facts Panel** Must Be Placed On The Top Panel.

PERISHABLE--KEEP FROZEN KEEP AT ZERO DEGREE F (-17.8 °C) OR BELOW

FROZEN FULLY COOKED SMOKED TURKEY HAM Smoke Flavor Added

and local or tribal governments for domestic food assistance programs. Distributed by USDA in cooperation with State



#### FULLY COOKED SMOKED TURKEY HAM\*

with 15% Water \* Cured Turkey Thigh Meat Chunked and Formed, Smoke Flavor Added

95% FAT FREE

**KEEP FROZEN** 

CONTRACT NO.

DATE PACKED Month, Day, and Year

4 Hams Net Combined Weight \_